

LEXCO

Recipients of the Industry's Most Prestigious Awards

The Industry's Lowest Cost of Ownership

Providers of World Class Support

Engineering Excellence

LEXCO

[www.lexcofitness.fr](http://www.lexcofitness.fr)



---

#### Cardio

---

<b>Treadmills</b>	<b>8</b>
<b>Bikes</b>	<b>16</b>
<b>Ellipticals</b>	<b>20</b>
<b>Indoor Cycling</b>	<b>22</b>

---


#### Strength

---

<b>Single-Station</b>	<b>26</b>
<b>Dual Function</b>	<b>33</b>
<b>Plate-Loaded</b>	<b>34</b>
<b>Free Weights</b>	<b>38</b>

---

※ In pursuit of providing the industry's highest level of quality, we occasionally upgrade our products without prior notice.



**Recipients of the Industry's Most Prestigious Awards**

**The Industry's Lowest Cost of Ownership**

**Providers of World Class Support**

---

**Engineering Excellence**

---

**LEXCO**

---

A photograph of two runners in motion against a clear blue sky. The runner in the foreground is a woman with long dark hair in a ponytail, wearing a black athletic tank top, black shorts, black leggings, and a black visor. She is captured in a dynamic running pose, leaning forward with her arms pumping. Behind her is a man wearing a bright neon yellow-green short-sleeved shirt, grey shorts, and a white baseball cap. The background is a vast, clear blue sky with a subtle gradient. The text "Run with LEXCO" is positioned in the upper right area of the image.

*Run with LEXCO*

**LEXCO, we manufacturer premium quality commercial cardio and strength products.**

Our company has over 20 years of product design and manufacturing experience that has led to our products earning several industry awards for both design and quality. Our team carefully listens to our customers needs to provide equipment that meets or exceeds their demands.

We implement efficient processes throughout all stages of product development, procuring raw materials direct from foundries, using many standardized parts and by employing a highly skilled team to manufacture LEXCO products in our high-tech factory.

With our products exceptional quality and long history of reliability, LEXCO has become a trusted partner for health clubs, high-end fitness centers, large corporations, universities, government facilities and countless public institutions.

LEXCO provides an excellent value through maintaining the industry's lowest cost of ownership. Our customers are our focus. We appreciate our customers and do our very best to provide world class post sale support.



# ENGINEERING EXCELLENCE



LEXCO products are designed to provide superior biomechanics that ensure a safe, comfortable workout that achieves excellent results. They are easy to use with enhanced safety features and are energy efficient.

### **LEXCO Product Managers and Engineers - the details are their obsession.**

From elite athletes who push the limits to beginners who simply want to increase their fitness level, our Product Managers and Engineers leverage vast amounts of data to verify product performance so the user's goals are achieved.

LEXCO has forged our identity through our unique product designs and extensive laboratory and field testing that leads to excellent quality standards. Our DNA is reflected throughout our entire range of products and has led to our company receiving many design achievement awards such as Good Design and Red Dot Award.

Piece of mind - LEXCO holds North American UL, FCC and CAN/CSA certifications, along with European CE certification and Korean KC certification.

At LEXCO, we put our customers first! It is our teams pleasure to provide training on product usage and maintenance training to ensure a pleasant post-sale experience.



## CARDIO - The beginning of a new evolution



Smart mirroring




Android OS virtual workouts



Internet browser and entertainment applications



Easily monitor exercise performance information



Choose between 7 languages




Wireless mobile charging  
(Compatible with newer Android and Apple devices)

## SAFETY | Ensuring user safety and comfort are top priorities of LEXCO



Emergency Stop Button with Safety Tether



Auto stop feature (optional)



Rear roller safety guard



Anti-slip running belt surface



Integrated handlebar controls for speed and incline adjustments  
(Standard on LT8x and LT8xA)



Rear entry Elliptical design ensures user can enter and exit unit easily and safely



Superior biomechanics ensure a safe and effective workout



Lower step over height on Upright Bike ensures user can get on and off easily

# LT8xA

- The LT8xA maximizes user-friendly conveniences.
- Equipped with a 23" capacitive touchscreen, an Android OS that features 30 virtual world renowned courses, Internet Browsing, Applications such as YouTube, Netflix, Hulu, etc, Media Player, TV and smart mirroring using mobile phones. Bluetooth earphone function. Quickly switch the screen to perform the user's operation accurately, you can check the exercise information while using the entertainment function.
- Integrated handlebar speed and incline adjustment controls, patented advanced maintenance-free deck with anti-static insert, mobile phone wireless charging system, anti-slip belt, rear safety guard, automatic drive belt tension control, earphone terminal for TV, Data transfer and mobile phone charging USB terminal, emergency stop button & clip are provided as standard.



23" Capacitive Touch Screen  
(LT8xA)



30 world famous courses from  
US and Europe



Smart Mirroring / Bluetooth  
Earphone



Entertainment (Android Apps,  
Satellite, Cable or IPTV)



Wireless Mobile Charging  
(Compatible with newer Android and Apple devices)



Patented Maintenance-Free  
Anti-Static Deck




Integrated handlebar controls  
for speed and incline  
adjustments  
(Standard on LT8x and LT8xA)





## OPTIONS



Auto Stop Feature (optional)



RFID Reader



Wireless Heart Rate



	LT8xA	LT8xM	LT8x
Monitor	23" Capacitive Touch Screen	BVE™ 19" HD LED Personal Cardio TV	-
Display	Android UI	Custom LED Display	Custom LED Display
Incline	0 - 16% incline range	0 - 16% incline range	0 - 16% incline range
Speed	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
Dimensions	L83.5" x W36.2" x H63.7" (L212 x W92 x H162 cm)	L83.5" x W36.2" x H73.6" (L212 x W92 x H187 cm)	L83.5" x W36.2" x H57.1" (L212 x W92 x H145 cm)
Running Surface	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)
Unit Weight	454 lbs. (206 kg)	449 lbs. (204 kg)	429 lbs. (195 kg)
Max User Weight	450 lbs. (204 kg)	450 lbs. (204 kg)	450 lbs. (204 kg)
Power	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A

# LT7x

The LT7x treadmill is a premium full commercial treadmill with some high-end features that is highly affordable for high traffic fitness facilities!

- The LT7xL model is a 23" TV dedicated monitor that allows you to watch entertainment and check out exercise information.
- Our patented maintenance-free anti-static deck is dual-sided so it can be flipped and used once more when replacing the running belt.
- The premium quality urethane coated running belt provides excellent traction, soft feel and is highly durable.
- Programs feature 4 exercise modes and 3 user modes for a variety of exercises.
- One piece handle with integrated contact heart rate sensors, premium urethane coated running belt, rear safety guard, drive belt auto tensioning system, headphone port, USB port for charging mobile devices, emergency stop button & safety tether



TV + Exercise Information Window  
(LT7xL)



Premium Urethane Coated  
Running Belt



Integrated handlebar controls for  
speed and incline adjustments



Automatic Drive Belt Tensioner



Rear roller safety guard




Strategically placed  
Headphone and USB Port to  
protect from sweat

## OPTIONS



Smart Mirroring - cast your mobile devices content onto the TV screen. Bluetooth Earphone (LT7xL)



Auto Stop Feature




Patented Maintenance-Free Anti-Static Deck



Wireless Heart Rate



Mobile Phone Wireless Charging System  
(Available for Galaxy 6, iPhone 8 and later)



	LT7xL	LT7xM	LT7x
Monitor	Embedded 23" LED Television	BVE™ 19" HD LED Personal Cardio TV	-
Display	Android UI	Custom LED Display	Custom LED Display
Incline	0 - 16% incline range	0 - 16% incline range	0 - 16% incline range
Speed	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
Dimensions	L83.5" x W36.2" x H63.7" (L212 x W92 x H162 cm)	L83.5" x W36.2" x H73.6" (L212 x W92 x H187 cm)	L83.5" x W36.2" x H57.1" (L212 x W92 x H145 cm)
Running Surface	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)
Unit Weight	454 lbs. (206kg)	449 lbs. (204kg)	429 lbs. (195kg)
Max User Weight	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)
Power	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A



# LT6x

- The LT6x treadmill is built upon the 5 Series platform but offers some user-friendly upgrades.
- Our patented maintenance-free anti-static deck is dual-sided so it can be flipped and used once more when replacing the running belt.
- Programs feature 4 exercise modes and 3 user modes for a variety of exercises.
- Standard features include: Premium urethane coated running belt, one piece handle with integrated contact heart rate sensors, drive belt auto tensioning system, earphone terminal for TV, USB terminal for charging mobile devices, emergency stop button & clip



Comfortable and Durable  
Urethane Handrails



Premium urethane Coated  
Running Belt



Strategically placed  
Headphone and USB Port to  
protect from sweat



Emergency stop switch and  
safety tether




Patented automatic drive belt  
tensioner





## OPTIONS



Auto Stop Feature



Wireless Heart Rate



Mobile Phone Wireless Charging System  
(Available for Galaxy 6, iPhone 8 and later)



	LT6xM	LT6x
Monitor	BVE™ 19" HD LED Personal Cardio TV	-
Display	Custom LED Display	Custom LED Display
Incline	0 - 16% incline range	0 - 16% incline range
Speed	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
Dimensions	L83.5" x W36.2" x H73.6" (L212 x W92 x H187 cm)	L83.5" x W36.2" x H57.1" (L212 x W92 x H145 cm)
Running Surface	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)
Unit Weight	440 lbs. (200kg)	418 lbs. (190kg)
Max User Weight	450 lbs. (204kg)	450 lbs. (204kg)
Power	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A

# LT5x

- The LT5x Treadmill is the rare example of robust full commercial construction and quality at an entry level cost!
- Our patented maintenance-free anti-static deck is dual-sided so it can be flipped and used once more when replacing the running belt.
- Programs feature 4 exercise modes and 3 user modes for a variety of exercises.
- Standard features include: commercial grade running belt, individual handles with integrated contact heart rate sensors, drive belt auto tensioning system, earphone terminal for TV, USB terminal for charging mobile devices, emergency stop button & clip



Emergency stop switch and safety tether



Stainless steel contact heart rate sensors



Strategically placed Headphone and USB Port to protect from sweat



Individual handles




Patented automatic drive belt tensioner



## OPTIONS



Premium Urethane Coated Running Belt



Belt stops automatically after 20 seconds if left unattended

Auto Stop Feature



Wireless Heart Rate



	LT5xM	LT5x
Monitor	BVE™ 19" HD LED Personal Cardio TV	-
Display	Custom LED Display	Custom LED Display
Incline	0 - 16% incline range	0 - 16% incline range
Speed	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
Dimensions	L83.5" x W36.2" x H73.6" (L212 x W92 x H187 cm)	L83.5" x W36.2" x H57.1" (L212 x W92 x H145 cm)
Running Surface	L63" x W21.3" (L160 x W54 cm)	L63" x W21.3" (L160 x W54 cm)
Unit Weight	440 lbs. (200 kg)	418 lbs. (190 kg)
Max User Weight	450 lbs. (204 kg)	450 lbs. (204 kg)
Power	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A or AC 220V, 50Hz-60Hz, 10A

Bike

# LU8A | LU8 | LU7

The LU8A is outfitted with a 15.6" capacitive touch screen with Android OS. Smart mirroring capabilities using mobile devices, Bluetooth earphone features.

- Quickly switch the screen to perform the user's operation precisely, while using the entertainment function to simultaneously view exercise information.
- 30 resistance levels accommodate users of all fitness levels.
- Console displays speed, time, distance, WATTS, RPM, CAL, LEVEL
- Features 10 exercise programs and 3 user defined programs.
- Self-powered load control system, mobile phone holder (reader), USB terminal for charging mobile phone and bottle holder are provided as standard.



LU8A



LU8



LU7





Smart Mirroring - cast your mobile content onto the Monitor  
Bluetooth Earphone (LU8A/LR8A)



Integrated reading rack /  
device tray



Convenient transport wheels



Aluminum seat post with  
convenient height adjustment  
lever



	LU8A	LU8	LU7
Monitor	15.6" Touch Screen	-	-
Display	Android OS Display	Custom LED Display	Custom LED Display
Resistance System	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake
Input Power	AC 110V, 50Hz-60Hz (for powering monitor)	Self-Generated	Self-Generated
Dimensions	L41"× W24.2"× H58.7" (L104 × W61.5 × H149 cm)	L41"× W24.2"× H58.7" (L104 × W61.5 × H149 cm)	L41"× W24.2"× H58.7" (L104 × W61.5 × H149 cm)
Unit Weight	144 lbs. (65.5 kg)	144 lbs. (65.5 kg)	144 lbs. (65.5 kg)
Max User Weight	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)

Bike

# LR8A | LR8 | LR7

The LR8A is outfitted with a 15.6" capacitive touch screen with Android OS. Smart mirroring capabilities using mobile devices, Bluetooth earphone features.

- Quickly switch the screen to perform the user's operation precisely, while using the entertainment function to simultaneously exercise information
- 30 resistance levels accommodate users of all fitness levels.
- Console displays speed, time, distance, WATTS, RPM, CAL, LEVEL
- Features 10 exercise programs and 3 user defined programs.
- Self-powered load control system, mobile device tray / reading rack, USB terminal for charging mobile devices and bottle holder are provided as standard.
- Generous step thru design and handlebars for easy user entry & exit increases safety.



LR8A



LR8



Smart Mirroring - cast your mobile content onto the Monitor  
Bluetooth Earphone (LU8A/LR8A)



Integrated reading rack /  
device tray



User safety handle



Convenient transport wheels



Oversize handle makes seat  
adjustments simple and fast



	LR8A	LR8	LR7
Monitor	15.6" Touch Screen	-	-
Display	Android OS Display	Custom LED Display	Custom LED Display
Resistance System	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake
Input Power	AC 110V, 50Hz-60Hz (for powering monitor)	Self-Generated	Self-Generated
Dimensions	L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)	L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)	L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)
Unit Weight	193 lbs. (87.5 kg)	193 lbs. (87.5 kg)	193 lbs. (87.5 kg)
Max User Weight	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)

**LE8A**

**LE8**

**LE7**



GOOD DESIGN

The LE8A Elliptical features an advanced 15.6" Touch Screen with Android OS.

- Smart Mirroring and a Bluetooth Earphone functions enhance user experience.
- Quickly switch screens to review workout and program information even when using entertainment features
- The rear entry design enhances safety when user gets on and off of the elliptical as well as increased unit stability.
- The compact size makes it ideal for sports centers with limited space.

- Excellent biomechanics, smooth rotation and proper body position Allows you to perform effective exercises

- 30 resistance levels accommodate users of all fitness levels.

- Console displays speed, time, distance, WATTS, RPM, CAL, LEVEL

- Features 10 exercise programs and 3 user defined programs.

- Self-powered load control system, mobile device tray / reading rack, mobile device charging via USB terminal,

- Cup holders and large safety handles are standard features.



LE8A



LE8



LE7





Smart Mirroring - cast your mobile content onto the Monitor  
Bluetooth Earphone (LU8A/LR8A)



Superior Biomechanics



Integrated reading rack /  
device tray



Rear entry design with oversize  
handrails increases user safety



- USB port for charging your mobile devices
- 15.6" capacitive touch screen
- Internet accessibility, YouTube, TV Watching (LE8A)
- Integrated Cup Holder



	LE8A	LE8	LE7
Monitor	15.6" Touch Screen	-	-
Display	Android OS Display	Custom LED Display	Custom LED Display
Resistance System	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake
Input Power	AC 110V, 50Hz-60Hz (for powering monitor)	Self-Generated	Self-Generated
Dimensions	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)
Unit Weight	386 lbs. (175 kg)	386 lbs. (175 kg)	386 lbs. (175 kg)
Max User Weight	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)

# LC7M | LC7 | LC5

The LC Series Spin Bike - improve member retention by upgrading the users indoor cycling experience!

- Our magnetic load control system does not use physical friction increasing reliability, lowering cost-of-ownership and giving the user a smooth and quiet riding experience .
- The resistance level is displayed on the adjustment lever so the class instructor can have users coordinate resistance together during classes.

- High quality aluminum Seat Post with 18 height adjustments and 10 fore & aft adjustments accommodates a broad range of users heights.

- Aluminum handlebar stem, seat post and durable ABS shrouds protect the internal components and resist corrosion.

- Premium cycling saddle with anti-microbial upholstery and coccyx cut-out to relieve tailbone pressure
- The LC7M features a monitor that displays real-time information such as time, distance, RPM, and WATTS.





4.2" LCD (LC7M)



Seat and handlebar height adjustments have locking pop pin for increased safety



Convenient transport wheels



	LC7M	LC7	LC5
Monitor	4.2" LCD (RPM, WATTS, Time and Distance)		
Dimensions	L59.8"xW24.6"xH45.5" (L152 x W62.5 x H116 cm)	L59.8"xW24.6"xH44.5" (L152 x W62.5 x H113 cm)	L59.8"xW24.6"xH42.5" (L152 x W62.5 x H108 cm)
Unit Weight	111 lbs. (50.45 kg)	110 lbs. (50 kg)	108 lbs. (49 kg)
Max User Weight	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)
Features	Magnetic load control system 16 levels of resistance Aluminum seat post with 18 height adjustments and 10 fore & aft adjustments	Magnetic load control system 16 levels of resistance Aluminum seat post with 18 height adjustments and 10 fore & aft adjustments	Magnetic load control system 16 levels of resistance Aluminum seat post with 18 height adjustments and 10 fore & aft adjustments





## Falcon Series

The Falcon Series strength by LEXCO is packed with premium features, enhanced aesthetics and is built by employing expert manufacturing techniques. Our biomechanics experts design the equipment with proper ergonomics that produce maximum results while being easy to use, safe and comfortable. Durable ABS shrouds, pre-shaped memory foam pads and detents that keep cables on the pulleys name just a few standard features.



Black Frame Cinnamon Upholstery	Black Frame Black Upholstery	Black Frame Grey Upholstery	Silver Frame Cinnamon Upholstery	Silver Frame Black Upholstery	Silver Frame Grey Upholstery
------------------------------------	---------------------------------	--------------------------------	-------------------------------------	----------------------------------	---------------------------------





#### **Foot Assist**

As an additional safety and comfort feature, some units are equipped with a foot assist so the user can set their start / stop position.



#### **Pulley Covers with Cable Detents**

Premium pulley covers with integrated detents that keep the cable tracking properly.



#### **Seat Back Adjustment Lever**

Units with adjustable seat backs are equipped with a lever and gas assist for quick and easy seat adjustments.



#### **Preformed Seat Pads**

Premium preformed memory foam seat pads and marine grade upholstery are standard features.



#### **R.O.M. Adjustment Lever**

Units with adjustable R.O.M. are equipped with an easy-to-operate push button adjustment lever.




#### **Seat Height Adjustment Lever**

Units with adjustable seat heights are equipped with a lever and gas assist for quick and easy seat adjustments.



#### **Independent Movement Arms**

On applicable units, we use independent arms with converging / diverging movement for a superior workout.



#### **Seat Back Covers**

Premium ABS seat back covers provide an elegant appearance. This too is a standard feature.



#### **Jig Welding**

Our Falcon Series strength is manufactured with the utilization of jigs to ensure stability and accuracy when welding.



#### **ABS Shrouds**

Durable full length ABS Shrouds do many things; increase safety, ensconce internal parts and increase aesthetics.



#### **Frame Tubing**

We utilize high quality steel tubing with radius edging to enhance aesthetics and provide excellent durability.

# Falcon LS Selectorized

The Falcon series selectorized strength line is loaded with premium features that we include as standard equipment such as; gas assisted seat adjustments via easy-to-use control levers, easy-to-use lever with push button for quick R.O.M. adjustments, full length ABS Shrouds, ABS seat back covers, preformed memory foam pads with marine grade upholstery resistant to sweat and more.

Our biomechanics experts have designed each unit for proper ergonomics and muscle recruitment to ensure the user achieves excellent results. When possible, we utilize independent movement arms on converging & diverging axis for enhanced results.

In all, the Falcon series strength will provide the best possible exercise for users of all abilities.

## Falcon LS-101

### PecFly / Rear Delt

- Dual-function unit performs both pec fly and rear delt
- Gas assisted seat height adjustment with (10) positions
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W50.4" x L39.8" x H76.8"  
(W128 x L101 x H195 cm)

Unit Weight:  
615 lbs. (279 kg)



## Falcon LS-102

### Lat Pull Down

- Height adjustable thigh hold down pads for stability
- Integrated thigh pad handle for quick adjustments
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W43.1" x L63.6" x H88.3"  
(W109.5 x L161.5 x H224.2 cm)

Unit Weight:  
562 lbs. (255 kg)



## Falcon LS-103

### Seated Chest Press

- Independent converging arms for excellent muscle contraction
- Gas assisted seat height adjustment with (10) positions
- Foot assist for user defined start & stop positions
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W56.6" x L56.3" x H76.4"  
(W143.7 x L143 x H194 cm)

Unit Weight:  
622 lbs. (282 kg)



## Falcon LS-104

### Shoulder Press

- Independent converging arms for excellent muscle contraction
- Gas assisted seat height adjustment with (10) positions
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W53.5" x L51.5" x H59.3"  
(W135.8 x L130.7 x H150.6 cm)

Unit Weight:  
578 lbs. (253 kg)



## Falcon LS-105

### Indine Press

- Independent converging arms for excellent muscle contraction
- Gas assisted seat height adjustment with (10) positions
- Foot assist for user defined start & stop positions
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W56" x L56.7" x H63.7"  
(W142.1 x L143.9 x H161.9 cm)

Unit Weight:  
540 lbs. (245 kg)



## Falcon LS-106

### Butterfly

- Independent arms for balanced workout
- Gas assisted seat height adjustment with (10) positions
- Foot assist for user defined start & stop positions
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W58.6" x L55" x H59.3"  
(W148.8 x L139.7 x H150.6 cm)

Unit Weight:  
644 lbs. (292 kg)



## Falcon LS-107

### Biceps Curl

- Independent arms for excellent muscle contraction
- Arm pads have fore / aft adjustments for better fitment
- Gas assisted seat height adjustment with (10) positions
- Full Length dual-sided ABS shrouds

Weight Stack: 165 lbs. (75 kg)

Dimensions:  
W55.5" x L42.5" x H59.3"  
(W141 x L108 x H150.6 cm)

Unit Weight:  
498 lbs. (226 kg)



## Falcon LS-108

### Low Row

- Extended pull design for better workout variety
- Solid EP rubber footpads for secure footing
- Full Length dual-sided ABS shrouds
- Includes attachment bar

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W37.5" x L70.1" x H67.9"  
(W95.2 x L178 x H172.5 cm)

Unit Weight:  
485 lbs. (220 kg)



## Falcon LS-109

### Seated Dip

- Gas assisted seat height adjustment with (10) positions
- Rotary handles provide user with narrow or wide grip
- Seat back angle ensures proper leverage
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W42.1" x L60" x H59.3"  
(W106.9 x L152.4 x H150.6 cm)

Unit Weight:  
564 lbs. (256 kg)



## Falcon LS-110

### Abdominal

- Gas assisted seat height adjustment with (10) positions
- Upper seat back angle ensures proper muscle recruitment
- Elbow pads provide leverage and stability
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W50.6" x L49.1" x H59.3"  
(W128.4 x L124.6 x H150.6 cm)

Unit Weight:  
523 lbs. (237 kg)





## Falcon LS-111

### Compact Cable Crossover

- 36 vertical adjustments provide numerous exercises
- Independent weight stacks
- Full Length dual-sided ABS shrouds
- (2) Steel Cable D Handles, (2) Nylon Handles, (1) Tricep Rope, (1) Revolving Straight Bar (Included)
- Cable Attachment Rack (Optional)

Weight Stack: (2) 220 lbs. (100 kg)

Dimensions:  
W114.2" x L50" x H90.1"  
(W290 x L127 x H230 cm)

Unit Weight:  
1014 lbs. (460 kg)



Cable Attachment Rack  
(Optional)



## Falcon LS-112

### Dual Pulley

- Two independent arms with variable height and width adjustments provide numerous exercises
- Full Length dual-sided ABS shrouds
- (2) Nylon Handles (Included)
- Compact footprint

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W72" x L70.7" x H74"  
(W183 x L179.7 x H188 cm)

Unit Weight:  
602 lbs. (273 kg)



## Falcon LS-704

### Single Adjustable Cable Column

- 36 height adjustments provide numerous exercises
- Two swivel pulley clevises provide a wider R.O.M.
- Accessory holders (one on each side)
- Full Length dual-sided ABS shrouds
- (2) Nylon Handles (Included)
- Compact footprint

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W35.4" x L35.4" x H89.4"  
(W90 x L90 x H227 cm)

Unit Weight:  
485 lbs. (220 kg)



## Falcon LS-113

### Rotary Torso

- Upper torso handlebar assembly has gas assist for easy user adjustment
- 10 positions to adjust to user's proper R.O.M.
- Comfortable knee pads provide leverage
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W37.4" x L41.7" x H58.9"  
(W95.1 x L105.8 x H149.5 cm)

Unit Weight:  
483 lbs. (219 kg)



## Falcon LS-114

### Assisted Chin / Dip

- Revolving dip handles provide both a narrow and wide position
- Dual position chin up handles provide narrow and wide grip
- Dip knee pad folds down when performing chin ups
- Dual height steps for easy entry / exit
- Full Length dual-sided ABS shrouds

Weight Stack: 165 lbs. (75 kg)

Dimensions:  
W44.7" x L51.8" x H89.4"  
(W113.7 x L131.8 x H227.3 cm)

Unit Weight:  
564 lbs. (256 kg)



## Falcon LS-115

### Leg Extension

- Gas assisted seat fore / aft adjustment with (10) positions
- Seat angle provides ideal leverage and proper muscle contraction
- Adjustment levers with push button to adjust ankle pad height and R.O.M.
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W39.3" x L51.6" x H59.3"  
(W99.7 x L131.1 x H150.6 cm)

Unit Weight:  
525 lbs. (238 kg)



## Falcon LS-116

### Seated Leg Curl

- Gas assisted seat fore / aft adjustment with (10) positions
- Seat angle provides ideal leverage and proper muscle contraction
- Adjustment lever with push button to adjust ankle pad height and R.O.M.
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W39.3" x L59.7" x H59.3"  
(W99.7 x L151.5 x H150.6 cm)

Unit Weight:  
536 lbs. (243 kg)



## Falcon LS-117

### Seated Leg Press

- Seat fore / aft adjustment with (15) positions for proper R.O.M.
- Seat angle provides ideal leverage and proper muscle contraction
- Solid EP rubber foot plate provides excellent traction
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W50.1" x L74.2" x H67.7"  
(W127.2 x L188.5 x H172 cm)

Unit Weight:  
708 lbs. (321 kg)



## Falcon LS-118

### Inner / Outer Thigh

- Dual function abductor / adductor with rotating pads for quick changes
- Adjustable R.O.M. settings via easy-to-operate pop pin
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W33.5" x L60.1" x H61.6"  
(W85 x L154.6 x H156.5 cm)

Unit Weight:  
586 lbs. (266 kg)



## Falcon LS-119

### Total Hip

- Carriage uses gas assist and allows user to make easy height adjustments
- Adjustable R.O.M. settings by easy-to-operate pop pin
- Full Length dual-sided ABS shrouds

Weight Stack: 165 lbs. (75 kg)

Dimensions:  
W44.9" x L54.7" x H61.6"  
(W114 x L139 x H156.5 cm)

Unit Weight:  
567 lbs. (257 kg)



## Falcon LS-120

### Prone Leg Curl

- Seat angle provides ideal leverage and proper muscle contraction
- Adjustment lever with push button to adjust ankle pad height and R.O.M.
- Handlebars with forearm pads provide excellent leverage
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W40" x L67.9" x H59.2"  
(W101.8 x L172.5 x H150.6 cm)

Unit Weight:  
487 lbs. (221 kg)







## Falcon LS-201

### Smith Machine

- Rotating olympic bar with high quality linear bearings provides smooth operation
- 12 bar catch positions with emergency catch to provide the user with a safe workout
- Counterbalanced design accommodates users of all fitness levels

Dimensions:  
W72.6" x L53.2" x H87.8"  
(W184.4 x L135 x H223 cm)

Unit Weight:  
419 lbs. (190 kg)



## Falcon LS-202

### Power Leg Press

- Adjustable back pad to establish better workout angles and fitment
- Convenient handle above foot platform assists user entrance / exit
- Dual safety stops to ensure a safe workout
- 4 weight plate storage horn
- Solid EP rubber foot pad provides excellent traction

Dimensions:  
W72.5" x L85.3" x H59.2"  
(W184.2 x L216.7 x H150.4 cm)

Unit Weight:  
512 lbs. (232 kg)



## Falcon LS-523

### Hack Squat

- Adjustable foot plate to establish better workout angles and fitment
- Solid EP rubber foot pad provides excellent traction
- 2 weight plate storage horns

Dimensions:  
W80" x L59.1" x H50"  
(W203.3 x L150 x H127 cm)

Unit Weight:  
441 lbs. (200 kg)





# Falcon LS Dual Function

Falcon Dual Function series - designed to make maximum use of your facility's space by performing multiple exercises on one machine. Even though they are multi-function units, there is very little compromise in the effectiveness of the exercise from a traditional single station unit. All units are full commercial grade that can be used in high traffic facilities, yet are reasonably priced. All units have been designed to transition easily from one exercise to the next.

## Falcon LS-701

### Multi Press

- 3 functions; Chest Press, Incline Press & Shoulder Press
- Quick seat and press arm adjustments with pop pins
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W49" x L75.6" x H65.7"  
(W124.5 x L194.5 x H167 cm)

Unit Weight:  
538 lbs. (244 kg)



Shoulder Press



Incline Press



Chest Press

## Falcon LS-702

### Lat Pull Down / Low Row

- 2 functions; Lat Pull Down & Low Row
- Seat pad adjusts for proper angle to ensure the effectiveness of both exercises
- Quick seat and thigh pad adjustments with pop pins
- Solid EP rubber foot pads provide excellent traction
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W50.4" x L84.3" x H88"  
(W128 x L214 x H223.5 cm)

Unit Weight:  
589 lbs. (267 kg)



Lat Pull Down



Low Row

## Falcon LS-703

### Leg Extension / Prone Leg Curl

- 2 functions; Leg Extension & Prone Leg Curl
- Pads adjust to proper angles to ensure the effectiveness of both exercises
- Quick seat, back / chest pad adjustments with pop pins
- Grip handles for Prone Leg Curl position increase leverage
- Full Length dual-sided ABS shrouds

Weight Stack: 220 lbs. (100 kg)

Dimensions:  
W42.5" x L40.9" x H61"  
(W108 x L140 x H155 cm)

Unit Weight:  
606 lbs. (275 kg)



Leg Extension




Prone Leg Curl

Plate Load

# Falcon LS

## Plate Loaded

Falcon Plate Loaded series - designed by our biomechanics experts to provide the user with maximum results and compact footprints save facilities valuable floor space. Most units are equipped with independent movement arms for a superior, well-balanced workout. They are equipped with many premium features such as easy-to-operate pop pins and push button levers for quick setup, gas assists for units with adjustable seat heights, memory foam pads and premium sweat resistant upholstery.



## Falcon LS-511

### Plate Loaded Lat Pull Down

- Two handle positions provide options of narrow and wide grip placement
- Independent movement arms provide a superior workout
- Thigh hold-down pad easily adjusts with integrated handle
- 2 weight plate storage horns

Dimensions:  
W57.5" x L73.6" x H70.1"  
(W146 x L187 x H178 cm)

Unit Weight:  
237 lbs. (107.5 kg)



## Falcon LS-512

### Plate Loaded Rear Pull Down

- Designed to recruit muscles that a standard forward facing lat pull cannot
- Two handle positions provide options of narrow and wide grip placement
- Independent movement arms provide a superior workout
- Thigh hold-down pad easily adjusts with integrated handle
- 2 weight plate storage horns

Dimensions:  
W55.1" x L80.7" x H72"  
(W140 x L205 x H183 cm)

Unit Weight:  
286 lbs. (129.5 kg)



## Falcon LS-513

### Plate Loaded High Row

- Designed to recruit muscles that a standard mid row cannot
- Independent movement arms provide a superior workout
- Gas assisted seat height adjustment with (10) positions
- Fore / aft adjustments on chest pad
- 2 weight plate storage horns

Dimensions:  
W55.1" x L74.8" x H66.9"  
(W140 x L190 x H170 cm)

Unit Weight:  
306 lbs. (139 kg)



## Falcon LS-514

### Plate Loaded Mid Row

- Independent movement arms provide a superior workout
- Gas assisted seat height adjustment with (10) positions
- Fore / aft adjustments on chest pad
- Foot supports for better leverage

Dimensions:  
W51.2" x L57.1" x H47.6"  
(W130 x L145 x H121 cm)

Unit Weight:  
225 lbs. (102 kg)





## Falcon LS-515

### Plate Loaded Chest Press

- Independent movement arms provide a superior workout
- Gas assisted seat height adjustment with (10) positions
- Press arms have fore & aft adjustments to set R.O.M.
- Handles provide both narrow and wide grip positions
- 2 weight storage horns

Dimensions:  
W46.1" x L63.8" x H55.1"  
(W117 x L162 x H140 cm)

Unit Weight:  
302 lbs. (137 kg)



## Falcon LS-516

### Plate Loaded Incline Press

- Independent movement arms provide a superior workout
- Gas assisted seat height adjustment with (10) positions
- Press arms have adjustments to set R.O.M.
- 2 weight storage horns

Dimensions:  
W54.1" x L64.6" x H43.7"  
(W137.5 x L164 x H111 cm)

Unit Weight:  
277 lbs. (125.5 kg)



## Falcon LS-518

### Plate Loaded Shoulder Press

- Independent movement arms provide a superior workout
- Gas assisted seat height adjustment with (10) positions
- Press arms have narrow and wide grip handles
- 2 weight storage horns

Dimensions:  
W56.3" x L66.1" x H52.8"  
(W143 x L168 x H134 cm)

Unit Weight:  
252 lbs. (114.5 kg)



## Falcon LS-521

### Plate Loaded Leg Extension

- Independent movement arms provide a superior workout
- Push buttons quickly adjust ankle pads
- Pop pins quickly adjust R.O.M.
- 2 weight storage horns

Dimensions:  
W64.6" x L54" x H45.3"  
(W164.2 x L137.1 x H115 cm)

Unit Weight:  
356 lbs. (161.5 kg)





## Falcon LS-522

### Plate Loaded Prone Leg Curl

- Independent movement arms provide a superior workout
- Push buttons quickly adjust ankle pads
- Pop pins quickly adjust R.O.M.
- Grip handles provide leverage
- 2 weight storage horns

Dimensions:  
W65" x L71.3" x H27.4"  
(W165 x L181 x H69.5 cm)

Unit Weight:  
345 lbs. (156.5 kg)



## Falcon LS-503

### Plate Loaded T-bar Row

- 2 foot positions; 1 low & 1 high to fit users of different torso lengths
- Handlebars provide both narrow and wide grip positions
- Durable EP rubber foot plates provide excellent traction

Dimensions:  
W40.5" x L66" x H41.6"  
(W103 x L167.4 x H105.7 cm)

Unit Weight:  
130 lbs. (59 kg)



## Falcon LS-509

### Plate Loaded Multi Press

- 3 functions; Chest Press, Incline Press and Shoulder Press
- Pop pins make quick transitions between exercises
- 2 weight storage horns

Dimensions:  
W56.9" x L83.9" x H42.9"  
(W144.5 x L213 x H109 cm)

Unit Weight:  
261 lbs. (118.5 kg)



Shoulder Press



Chest Press



Incline Press

# Falcon LS Free Weight

Falcon Free Weight series - designed for safety, function, proper ergonomics and durability. The compact footprints save facilities valuable floor space, while retaining secure footing. They are equipped with many premium features such as easy-to-operate pop pins and push button levers for quick setup, gas assists for units with adjustable seat heights, memory foam pads, premium sweat resistant upholstery and convenient transport wheels on applicable units.

## Falcon LS-203

### Power Rack

- Adjustable safety bars and olympic bar catches
- Robust construction and compact footprint
- Chin up bar offers both narrow and wide grip positions
- 6 weight storage horns

Dimensions:  
W76" x L56.9" x H89"  
(W193.1 x L144.5 x H226.1 cm)

Unit Weight:  
335 lbs. (152 kg)



## Falcon LS-208

### Olympic Incline Bench

- Integrated spotter's steps for increased safety
- Two olympic bar start / finish positions
- Gas assisted seat height adjustment with (10) positions
- 6 weight storage horns

Dimensions:  
W70.7" x L73.8" x H59.3"  
(W179.5 x L187.5 x H150.5 cm)

Unit Weight:  
218 lbs. (99 kg)



## Falcon LS-209

### Olympic Dedine Bench

- Two olympic bar start / finish positions
- Leg hold down pads for stability
- 2 weight storage horns

Dimensions:  
W70.9" x L74.7" x H46.3"  
(W180 x L189.6 x H117.6 cm)

Unit Weight:  
165 lbs. (75 kg)



## Falcon LS-210

### Chin / Dip / Leg Raise

- 3 exercises; chin ups, dips and leg raises
- Chin up handles provide both narrow and wide grips
- Comfortable beveled forearm pads
- Solid EP rubber foot pads provide traction

Dimensions:  
W47" x L57.2" x H87.5"  
(W119.3 x L143.5 x H222.2 cm)

Unit Weight:  
234 lbs. (106 kg)



## Falcon LS-211

### Dual Torso Twist

- 2 stretches; seated or standing
- Standing position has anti-slip footplate
- Seated position has seat pad and foot rests

Dimensions:  
W23.6" x L58.7" x H50.7"  
(W60 x L149 x H128.8 cm)

Unit Weight:  
108 lbs. (49 kg)



## Falcon LS-212

### Back Extension Bench

- Torso pad / handlebar assembly adjust with pop pin
- Pop pin twists to lock for added stability and safety
- Solid EP rubber foot pads provide excellent traction

Dimensions:  
W25.6" x L47.7" x H25.2"  
(W65 x L121.2 x H64 cm)

Unit Weight:  
88 lbs. (40 kg)



## Falcon LS-213

### Adjustable Sit Up Bench

- Adjustable leg hold-down pad provides leverage and stability
- 14 angles achieved through simple pop pin adjustment
- Comfortable molded memory foam pads
- Convenient handle and transport wheels

Dimensions:  
W26" x L63.2" x H35.2"  
(W66 x L160.4 x H89.5 cm)

Unit Weight:  
97 lbs. (44 kg)



## Falcon LS-214

### Leg Raise

- Back pad and handles provide excellent stability
- Comfortable beveled forearm pads
- Solid EP rubber foot pads provide traction

Dimensions:  
W29.3" x L57.2" x H67.4"  
(W74.5 x L145.3 x H171.2 cm)

Unit Weight:  
172 lbs. (78 kg)



## Falcon LS-215

### Olympic Squat Rack

- Open design allows the user more space
- Three olympic bar start / finish positions
- 6 weight storage horns

Dimensions:  
W72.1" x L53.9" x H69.3"  
(W183 x L137 x H176 cm)

Unit Weight:  
225 lbs. (102 kg)



## Falcon LS-216

### Olympic Bench Press

- Two olympic bar start / finish positions
- 2 weight storage horns

Dimensions:  
W75.3" x L56.7" x H49.2"  
(W191.2 x L143.9 x H125 cm)

Unit Weight:  
132 lbs. (60 kg)





## Falcon LS-217

### Adjustable Flat / Incline Bench

- Back pad can be adjusted 19 positions
- Seat pad can be adjusted 12 positions
- Integrated handle and transport wheels

Dimensions:  
W25.6" x L62.3" x H19.8"  
(W65 x L158.2 x H50.2 cm)

Unit Weight:  
97 lbs. (44 kg)



## Falcon LS-218

### Preacher Curl Bench

- Gas assisted seat height adjustment with (10) positions
- Memory foam arm pad increases user comfort
- Two curl bar start / finish positions

Dimensions:  
W31.1" x L37.3" x H40"  
(W79 x L94.8 x H101.5 cm)

Unit Weight:  
108 lbs. (49 kg)



## Falcon LS-219

### Adjustable Decline Bench

- Back pad can be adjusted 13 positions
- Integrated handle for quick adjustments
- Convenient transport wheels

Dimensions:  
W25.6" x L59.8" x H30.6"  
(W65 x L152 x H77.8 cm)

Unit Weight:  
95 lbs. (43 kg)



## Falcon LS-220

### Flat Bench

- Thick memory foam for increased user comfort
- Integrated handle and transport wheels

Dimensions:  
W26" x L48" x H16.9"  
(W66 x L122 x H43 cm)

Unit Weight:  
49 lbs. (22 kg)



## Falcon LS-221

### Seated Calf

- Adjustable thigh hold-down pad with 9 height settings
- Handle and pop pin for quick adjustments
- Solid EP foot pad provides excellent traction

Dimensions:  
W24.7" x L54.3" x H35.1"  
(W62.8 x L138 x H89.2 cm)

Unit Weight:  
108 lbs. (49 kg)



## Falcon LS-222

### Three Tier Dumbbell Rack

- Compact three tier design
- Holds 9 pairs of dumbbells
- Durable urethane saddles

Dimensions:  
W53.2" x L33.3" x H42.8"  
(W135.2 x L84.5 x H108.6 cm)

Unit Weight:  
161 lbs. (73 kg)



## Falcon LS-223

### Olympic Plate Rack

- Elegant vertical design
- 8 weight plate storage horns

Dimensions:  
W51.4" x L51.4" x H37.8"  
(W130.6 x L130.6 x H96 cm)

Unit Weight:  
88 lbs. (40 kg)



## Falcon LS-224

### Olympic Plate Tree

- Compact vertical design
- 6 weight plate storage horns

Dimensions:  
W30.1" x L29.5" x H35.4"  
(W76.5 x L75 x H90 cm)

Unit Weight:  
82 lbs. (37.5 kg)



## Falcon LS-225

### Two Tier Dumbbell Rack

- Two tier design
- Holds 9 pairs of dumbbells
- Durable urethane saddles

Dimensions:  
W77" x L24.5" x H31.6"  
(W195.6 x L62.4 x H80.5 cm)

Unit Weight:  
130 lbs. (59 kg)



## Falcon LS-226

### Barbell Rack

- Compact vertical design
- Holds 10 barbells

Dimensions:  
W50.3" x L31.2" x H48.6"  
(W127.9 x L79.4 x H123.6 cm)

Unit Weight:  
115 lbs. (52 kg)



## Falcon LS-227

### Utility Bench

- Compact design with comfortable pads
- Rugged non-slip EP rubber foot pad

Dimensions:  
W47.7" x L21.6" x H34.1"  
(W121.3 x L55 x H86.7 cm)

Unit Weight:  
55 lbs. (25 kg)



## Falcon LS-228

### Multi-Adjustable Bench

- 19 seat angles provide a variety of exercises
- Simple to adjust with handle and pop pin
- Integrated handle and transport wheels

Dimensions:  
W25.6" x L59.1" x H20.1"  
(W65 x L150 x H52 cm)

Unit Weight:  
104 lbs. (47 kg)





## Treadmills

	LT8xA	LT8xM	LT8x	LT7xL	LT7xM
Features					
Deck	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static
Running Belt	Premium Urethane Coated	Premium Urethane Coated	Premium Urethane Coated	Premium Urethane Coated	Premium Urethane Coated
Running Surface	L63"x W21.3" (L160 x W54 cm)	L63"x W21.3" (L160 x W54 cm)	L63"x W21.3" (L160 x W54 cm)	L63"x W21.3" (L160 x W54 cm)	L63"x W21.3" (L160 x W54 cm)
Incline Range	0 - 16%	0 - 16%	0 - 16%	0 - 16%	0 - 16%
Speed	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
High Strength One Piece Frame	•	•	•	•	•
High Modulus Deck Shocks	•	•	•	•	•
Auto Tensioning Drive Belt	•	•	•	•	•
Crowned Roller	•	•	•	•	•
Rear Roller Safety Guard	•	•	•	•	•
Primary Handles	Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails
Contact Heart Rate	•	•	•	•	•
Console					
Monitor	23" Capacitive Touch Screen	BVE™ 19" HD LED Personal Cardio TV	-	23" Embedded HD LED TV	BVE™ 19" HD LED Personal Cardio TV
Display	Android UI	Custom LED Display	Custom LED Display	Android UI	Custom LED Display
Workout Information	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate
Screen Modes	Basic, exercise (graph), exercise (30 virtual courses), TV PIP, Video, Internet, YouTube, Settings	-	-	TV workout information display	-
Language	English, Korean, Japanese, French, Spanish, Russian, German	English	English	English	English
Programs	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER
TV Controls	•	-	-	•	-
USB Port	Mobile Device Charging / Data Transmission	Mobile Device Charging	Mobile Device Charging	Mobile Device Charging	Mobile Device Charging
Cool-down function	•	•	•	•	•
Handlebar Speed & Incline Controls	•	•	•	Option	Option
Specifications					
Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
Power (two options)	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A
Dimensions	L83.5"x W36.2"x H63.7" (L212 x W92 x H162 cm)	L83.5"x W36.2"x H73.6" (L212 x W92 x H187 cm)	L83.5" x W36.2" x H57.1" (L212 x W92 x H145 cm)	L83.5"x W36.2"x H63.7" (L212 x W92 x H162 cm)	L83.5"x W36.2"x H73.6" (L212 x W92 x H187 cm)
Max User Weight	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)
Unit Weight	454 lbs. (206 kg)	449 lbs. (204 kg)	429 lbs. (195 kg)	454 lbs. (206kg)	449 lbs. (204kg)
Options					
Auto Stop	Option	Option	Option	Option	Option
Smart Mirroring	•	-	-	Option	-
Bluetooth Earphones	•	-	-	Option	-
Wireless Charging	•	•	•	Option	Option
Wireless Heart Rate	Option	Option	Option	Option	Option

LT7x	LT6xM	LT6x	LT5xM	LT5x
Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static	Maintenance-Free and Anti-Static
Premium Urethane Coated	Premium Urethane Coated	Premium Urethane Coated	Full Commercial Grade	Full Commercial Grade
L63"× W21.3" (L160 × W54 cm)	L63"× W21.3" (L160 × W54 cm)	L63"× W21.3" (L160 × W54 cm)	L63"× W21.3" (L160 × W54 cm)	L63"× W21.3" (L160 × W54 cm)
0 - 16%	0 - 16%	0 - 16%	0 - 16%	0 - 16%
0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)	0.5 - 16 mph (0.8 - 25 km/h)
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	-	-	-	-
Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails	Premium Urethane Handrails
•	•	•	Optional	Optional
-	BVE™ 19" HD LED Personal Cardio TV	-	BVE™ 19" HD LED Personal Cardio TV	-
Custom LED Display	Custom LED Display	Custom LED Display	Custom LED Display	Custom LED Display
Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate	Time, Distance, Calories, Speed, Incline and Heart Rate
-	-	-	-	-
English	English	English	English	English
Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER	Manual, Slope, Hill, Mountain, HRC, 3 USER
-	-	-	-	-
Mobile Device Charging	Mobile Device Charging	Mobile Device Charging	Mobile Device Charging	Mobile Device Charging
•	•	•	•	•
Option	Option	Option	-	-
High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System	High-efficiency AC Inverter Drive System
AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A	AC 110V, 50Hz-60Hz, 15A AC 220V, 50Hz-60Hz, 10A
L83.5" × W36.2" × H57.1" (L212 × W92 × H145 cm)	L83.5" × W36.2" × H73.6" (L212 × W92 × H187 cm)	L83.5" × W36.2" × H57.1" (L212 × W92 × H145 cm)	L83.5" × W36.2" × H73.6" (L212 × W92 × H187 cm)	L83.5" × W36.2" × H57.1" (L212 × W92 × H145 cm)
450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)	450 lbs. (204kg)
429 lbs. (195 kg)	440 lbs. (200 kg)	418 lbs. (190 kg)	440 lbs. (200 kg)	418 lbs. (190 kg)
Option	Option	Option	Option	Option
-	-	-	-	-
-	-	-	-	-
Option	Option	Option	Option	Option
Option	Option	Option	Option	Option

## Bikes / Ellipticals

	LE8A	LE8	LE7	LR8A
Features				
High Capacity Battery	-	•	•	-
Bottle Holder / Reading Rack	•	•	•	•
Adjustable Seat	-	-	-	-
Contact Heart Rate	•	•	•	•
Resistance Levels	1 - 30	1 - 30	1 - 30	1 - 30
Handlebar Resistance Control Buttons	•	•	-	•
Console				
Monitor	15.6" Touch Screen	Custom LED Display	Custom LED Display	15.6" Touch Screen
Workout Information	Time, Distance, Calories, Speed, RPM, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, METS, Heart Rate, Exercise Results
Screen Modes	Basic, Workout (Standard), Workout (Stadium), TV, TV PIP, Video, Internet, YouTube, Settings	Alphanumeric, LED	Alphanumeric, LED	Basic, Workout (Standard), Workout (Stadium), TV, TV PIP, Video, Internet, YouTube, Settings
Language	English, Korean, Japanese, French, Spanish, Russian, German	English	English	English, Korean, Japanese, French, Spanish, Russian, German
Programs	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER
TV Controls	•	-	-	•
USB Port	Mobile Device Charging / Data Transmission	Mobile Device Charging	Mobile Device Charging	Mobile Device Charging / Data Transmission
HDMI Input	•	-	-	•
Smart Mirroring	•	-	-	•
Bluetooth Earphone	•	-	-	•
Specifications				
Resistance System	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake
Input Power	AC 100- 240V, 50/60Hz	Self-Generated	Self-Generated	AC 100- 240V, 50/60Hz
Dimensions	L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)	L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)
Max User Weight	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)
Unit Weight	386 lbs. (175 kg)	386 lbs. (175 kg)	386 lbs. (175 kg)	193 lbs. (87.5 kg)



LR8	LR7	LU8A	LU8	LU7
•	•	-	•	•
•	•	•	•	•
•	•	-	-	
•	•	•	•	•
1 - 30	1 - 30	1 - 30	1 - 30	1 - 30
•	-	•	•	-
-	-	15.6" Touch Screen	-	-
Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results	Time, Distance, Calories, Speed, RPM, WATTS, METS, Heart Rate, Exercise Results
Alphanumeric, LED	Alphanumeric, LED	Basic, Workout (Standard), Workout (Stadium), TV, TV PIP, Video, Internet, YouTube, Settings	Alphanumeric, LED	Alphanumeric, LED
English	English	English, Korean, Japanese, French, Spanish, Russian, German	English	English
Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER	Manual, (3) Warm Up, Auto Pilot, Interval, (5) Alpine, HRC, (3) USER
-	-	•	-	-
Mobile Device Charging	Mobile Device Charging	Mobile Device Charging / Data Transmission	Mobile Device Charging	Mobile Device Charging
-	-	•	-	-
-	-	•	-	-
-	-	•	-	-
Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake	Hybrid Generator Brake
Self-Generated	Self-Generated	AC 100- 240V, 50/60Hz	Self-Generated	Self-Generated
L68.5" x W25.2" x H54.3" (L174 x W64 x H138 cm)	L66.9" x W29.9" x H68.1" (L170 x W76 x H173 cm)	L41" x W24.2" x H58.7" (L104 x W61.5 x H149 cm)	L41" x W24.2" x H58.7" (L104 x W61.5 x H149 cm)	L41" x W24.2" x H58.7" (L104 x W61.5 x H149 cm)
400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)	400 lbs. (181 kg)
193 lbs. (87.5 kg)	193 lbs. (87.5 kg)	144 lbs. (65.5 kg)	144 lbs. (65.5 kg)	144 lbs. (65.5 kg)